MATERIAL SAFETY DATA SHEET C-TEC-2A-1

SECTION 1: IDENTIFICATION

Company Name: | AQUAPHASE, INC.

Address: P.O Box 7

Gallatin, TN 37066

Phone No. (615) 452-6796

Fax No. (615) 451-9497

Emergency Phone No. | CHEM-TEL 800-255-3924

Date Prepared: 2/4/13 Date Revised: NONE

SECTION 2: INGREDIENTS

 MATERIAL
 CAS NO.
 %

 SODIUM TOLYTRIAZOLE
 6465-57-2
 1 - 9

 SODIUM HYDROXIDE
 1310-73-2
 < 1</td>

SECTION 3: HEALTH HAZARDS

Ingestion: MAY BE TOXIC IN CONCENTRATED FORM. DO NOT TAKE INTERNALLY.

Inhalation: NOT A LIKELY ROUTE OF EXPOSURE. INHALATION OF MIST MAY BE IRRITATING

TO RESPIRATORY TRACT.

Skin Contact: MAY CAUSE IRRITATION Eye Contact: CAUSES IRRITATION.

Other Information: OTHER THAN ACUTE EFFECTS LISTED ABOVE, NO LONG TERM EFFECTS

KNOWN.

SECTION 4: FIRST AID

Ingestion: DRINK SEVERAL GLASSES OF WATER TO DILUTE. DO NOT INDUCE VOMITING.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET

MEDICAL ATTENTION.

Inhalation: REMOVE VICTIM TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS

PERSIST.

Skin Contact: WASH WITH PLAIN WATER OR SOAP AND WATER AND GET MEDICAL

ATTENTION IF IRRITATION PERSISTS.

Eye Contact: | IMMEDIATELY FLUSH WITH CLEAR WATER FOR 15 MINUTES AND GET MEDICAL

ATTENTION.

Notes to Physician: NO ANTIDOTES KNOWN. TREAT SYMPTOMS SUPPORTIVELY.

SECTION 5: FIRE AND EXPLOSION HAZARD DATA

Flash Point/Method: NONE
Upper/Lower Limit in Air: N.A. /N.A.

Extinguishing Media: WATER OR ANY MEDIA SUITABLE FOR THE SURROUNDING FIRE.

Procedures: FIREFIGHTERS SHOULD WEAR NORMAL PROTECTIVE EQUIPMENT. SELF-

CONTAINED BREATHING APPARATUS SHOULD BE USED IN CONFINED AREAS.

Unusual Hazards: NONE

Combustion Products: | IF WATER IS EVAPORATED, OXIDES OF CARBON AND PHOSPHORUS MAY BE

PRODUCED.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: WEAR PERSONAL PROTECTIVE EQUIPMENT AS RECOMMENDED IN SECTION 8. Environmental Precautions: DO NOT ALLOW CONTAMINATION OF WATERWAYS, FLUSH TO SANITARY

SEWER.

Procedures for Clean Up: | SMALL SPILLS MAY BE FLUSHED WITH COPIOUS QUANTITIES OF WATER,

PREFERABLY TO A SANITARY SEWER. LARGER SPILLS MAY BE DIKED TO MINIMIZE RUN-OFF AND NEUTRALIZED WITH DILUTE ACID. LIQUID MAY BE ABSORBED IN SAWDUST OR ANY AVAILABLE ABSORBANT AND SWEEPINGS DISPOSED OF IN A LANDFILL. OBEY FEDERAL, STATE OR LOCAL REGULATIONS.

MATERIAL SAFETY DATA SHEET C-TEC-2A-1

C-TEC-ZA-T			
SECTION 7:	HANDLING AND STORAGE		
Handling: Storage:	NORMAL INDUSTRIAL HANDLING PRACTICES. KEEP OUT OF REACH OF CHILDREN. STORE IN A COOL, DRY PLACE. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE.		
SECTION 8:	EXPOSURE CONTROLS/PERSONAL PROTECTION		
Precautionary Measures: Engineering Controls: Control Limits: Equipment for Personal Protection:	STANDARD INDUSTRIAL HANDLING PRECAUTIONS. WASH THOROUGHLY AFTER HANDLING CHEMICALS. USE WITH ADEQUATE VENTILATION TO KEEP EXPOSURES BELOW OCCUPATIONAL EXPOSURE LIMITS. SODIUM HYDROXIDE: OSHA PEL: 2 mg/m3 Ceiling; ACGIH TLV: 2 mg/m3 Ceiling. SAFETY GLASSES WITH SIDE SHIELDS AND IMPERMEABLE GLOVES SHOULD BE WORN WHEN HANDLING THE CONCENTRATED PRODUCT. EYEWASH STATION AND SAFETY SHOWER IN AREA OF USE.		
SECTION 9:	PHYSICAL AND CHEMICAL PROPERTIES		
Appearance: Odor: pH (undiluted): Specific Gravity: Density: Solubility in Water: Boiling Point: Percent Volatile: Vapor Pressure (mmHg): Vapor Density: Evaporation Rate:			
SECTION 10:	STABILITY AND REACTIVITY		
Stability: Conditions to Avoid: Hazardous Polymerization: Conditions to Avoid: Incompatibility: Hazardous Decomposition Products:	STABLE NONE STABLE NONE NONE MAY REACT WITH STRONG OXIDIZING AGENTS OR ACIDS. IF WATER EVAPORATED, OXIDES OF CARBON AND PHOSPHORUS COULD BE PRODUCED BY COMBUSTION.		
SECTION 11:	TOXICOLOGICAL INFORMATION		
Material & Tests:	SODIUM TOLYLTRIAZOLE: ORAL LD50 (MALE RATS) 920 mg/kg, (FEMALE RATS) 640 mg/kg. SODIUM HYDROXIDE: IRRITATION DATA; SKIN (RABBIT) = 500 mg/24 H; EYE (RABBIT) = 50 ug/24H (SEVERE).		
SECTION 12:	ECOLOGICAL INFORMATION		
Aquatic Toxicity: SECTION 13:	SODIUM TOLYLTRIAZOLE: RAINBOW TROUT (96 Hr LC50) 23.7 ppm, BLUEGILL SUNFISH (96 Hr LC50) 191.2 ppm, DAPHNIA MAGNA (48 Hr EC50) 245 ppm. SODIUM HYDROXIDE: 48 HR LC50 BLUEGILL SUNFISH = 99 mg/l; 96 HR LC50 MOSQUITO FISH = 125 mg/l; 48 HR LC50 BROWN SHRIMP = 30 - 100 mg/l. DISPOSAL CONSIDERATIONS		
General Considerations:	THIS PRODUCT WOULD NOT BE CONSIDERED A HAZARDOUS WASTE.		
Procedures:	DISPOSAL BY USE PREFERRED BUT IF THIS NOT POSSIBLE, DILUTE WITH		

COPIOUS QUANTITIES OF WATER AND FLUSH TO WASTE, PREFERABLY TO A SANITARY SEWER. OBEY ALL FEDERAL, STATE OR LOCAL REGULATIONS.

MATERIAL SAFETY DATA SHEET C-TEC-2A-1

SECTION 14: TRANSPORT INFORMATION

Shipping Name: COMPOUNDS, WATER TREATMENT, N.O.S. (NOT REGULATED BY US DOT)

SECTION 15:

REGULATORY INFORMATION

ECTION 15:	REGULATORY INFORMATION			
Regulation CERCLA (40 CFR302.4):	<u>Material</u> SODIUM HYDROXIDE	<u>RQ</u> 1000 lbs.	<u>Max. %</u> 1	
SARA 302 (Sect. 355, Appendix A):	<u>Material</u> NONE	<u>TPQ</u>	<u>Max. %</u>	
SARA 311/312:	<u>Categories</u> IMMEDIATE HEALTH	<u>Hazards</u> EYE IRRITANT		
SARA 313 (40 CFR 372.45):	Material NONE		<u>Max. %</u>	
CWA (40 CFR 401.15):	NONE			
RCRA (40 CFR 261):	NONE			
OSHA (29 CFR 1910.1200):	ALL COMPONENTS LISTED UNDER THIS STANDARD ARE SHOWN IN SECTION 2 OF THIS MSDS.			2

SPECIAL STATE REGULATIONS

ALL INGREDIENTS IN THIS PRODUCT ARE LISTED IN THE TSCA INVENTORY.

STATE NONE	<u>INGREDIENT</u>	<u>%</u>	REGULATORY DESIGNATION
NONE			

SECTION 16 OTHER INFORMATION

SUGGESTED HAZARD RATINGS

NFPA* 2		
0	FIRE (Red)	0
0	REACTIVITY (Yellow)	0
	PERSONAL PROTECTION	В
	SPECIAL HAZARDS	

^{*}Notes: 0 = Insignificant; 1 = Slight; 2 = Moderate; 3 = High; 4 = Extreme

The data contained in this Material Safety Data Sheet has been prepared based upon an evaluation of the ingredients in the product, their concentration in the product and potential interactions. The information is offered in good faith and is believed to be accurate. It is furnished to the customer who is urged to study it carefully to become aware of hazards, if any, in the storage, handling, use and disposal of the product; and to insure his employees are properly informed and advised of all safety precautions required. The information is furnished for compliance with the "Occupational Safety and Health Act" of 1970, the "Hazards Communication Act" of 1983 as well as various other Federal, State and Local regulations. Use or dissemination of all or part of this information for any other purpose is prohibited by law.